


# Mylinc<sup>TM</sup>

A little touch of genius

## WALLS GET SMARTER AND BEAUTIFUL.



 **legrand**<sup>®</sup>  
LIVE THE ADVANTAGE





Today's lifestyle is constantly on the move. At Legrand, we meet the needs of this lifestyle with our technologically advanced products by investing 5% on R&D thereby making us the global specialist in electrical and digital building infrastructures.

We make things that are not just essential but even desirable. We pursue exacting engineering and fuel it with design thinking. We call this Designeering. It's not just a deep understanding of our markets, but delivering innovation and technology for uninterrupted living.

Such expertise helps us anticipate and fulfill the needs of our customers, making us the global leaders in wiring devices. Like the chic Mylinc, now made smarter with a host of features that help you live the advantage. Easy to install, convenient and with a range of new colours, Mylinc makes the walls of your home, establishment or office beautiful and smarter. Now, charge, surf, regulate, control and do a lot more with upgraded features.

## Live the advantage





Remote Control Unit for Lights and Fan



RJ45 Socket with Shutter



25A Switch



360° Rotation Fan Regulator



Modular MCB




Skirting Light




USB Charger




Do Not Disturb &  
Make My Room Indicators




Motor Starter





USB Charger in 1000 mA and 2000 mA capacities – IS Certified and tested under our stringent quality process, plug your electric and wifi enabled gadgets. Enjoy uninterrupted.



# 360° Rotation Fan Regulator

360° rotation to enable operation of the knob from any angle. Free movement for maximum comfort and convenience.

# Skirting Light in 2M



Highlight the special features in your home,  
office, establishment with stylish skirting lights.

# RJ 45 Socket with Shutter



Ambient dust lodges itself inside  
sockets, affecting performance.  
Keep out what is not needed.

# Remote Control Unit



Operate four lights and regulate one fan on infrared technology. Sometimes you just don't want to be interrupted from something important.

# Do Not Disturb & Make My Room Indicator


Minimalism in design with maximism in functionality is always in demand in hotels. We combine these elegantly in our switches for increased space savings.



# Motor Starter



Overload on heavy-duty appliances like air conditioners and geysers can cause damage. Give them the additional protection to keep them and you safe.



Air conditioners and geysers are prone to heavy use and need enhanced protection. Our MCBs are tested under strict quality process to keep you and your assets safe.



# Express with Colours

Choose from a rich, sophisticated colour palette.

Give the touch of taste and elegance to your smart walls.



# Moulded to Perfection

The white classic design is renowned for safety, reliability, convenience and beauty. The same exacting standards are now also available in moulded matt grey.



Screwless finish and rounded corners that add beauty to any home



Laser marking safeguards against fakes



Linc-Loc™ intelligent design prevents wrong fitting, misaligned switches and sockets



Indicators for correct orientation




Safety features for mishap-proof use



Front removal



Stripping Template



Modular Plates

Assuming a switch is operated 10 times a day on average, these switches come with a guarantee of one lakh operations

Dependable for  
One Lakh Operations



ISI Marking

## Myline™ mechanisms

### switches and accessories



Switches are ISI marked as per the latest IS 3854:1997  
Silver plated screw terminals  
Linc-Loc™ Inter locking mechanisms for perfect alignment.  
Laser marking.

| Pack   | Cat.Nos           | Switches                                                      | Number of modules | MRP* |
|--------|-------------------|---------------------------------------------------------------|-------------------|------|
|        |                   | <b>6 A - *250 V~</b>                                          |                   |      |
| 20/200 | 6755 01           | 6 A one-way SP switch                                         | 1                 | 104  |
| 20/200 | 6755 02           | 6 A two-way SP switch                                         | 1                 | 154  |
| 20/200 | 6755 03           | 6 A one-way SP switch with indicator                          | 1                 | 182  |
|        |                   | <b>16 A - *250 V~</b>                                         |                   |      |
| 20/200 | 6755 11           | 16 A one-way SP switch                                        | 1                 | 174  |
| 20/200 | 6755 12           | 16 A two-way SP switch                                        | 1                 | 220  |
| 20/200 | 6755 13           | 16 A one-way SP switch with indicator                         | 1                 | 232  |
| 10/100 | <b>N</b> 6759 68* | 25 A - *250 V~ Switch 25 A with indicator                     | 1                 | 274  |
| 10/100 | 6755 26           | 32 A - *250 V~ 32 A one-way double pole switch with indicator | 2                 | 526  |
|        |                   | <b>Push buttons - *250 V~</b>                                 |                   |      |
| 20/200 | 6755 04           | 6 A one-way SP bell push                                      | 1                 | 160  |
| 10/100 | 6755 06           | 6 A one-way SP bell push with indicator                       | 2                 | 328  |
|        |                   | <b>Bell call indicator &amp; register</b>                     |                   |      |
| 20/200 | 6755 07           | Bell call Indicator with register - 6 A one-way - *250 V~     | 1                 | 876  |
|        |                   | <b>Lighting modules</b>                                       |                   |      |
|        |                   | for night Lamp.... neon light for 25000 hrs.                  |                   |      |
| 20/200 | 6755 95           | Indicator light red                                           | 1                 | 194  |
| 20/200 | 6755 96           | Indicator light orange                                        | 1                 | 194  |
| 1/5/25 | 6755 97           | Skirting light with white LED                                 | 3                 | 652  |
| 5/50   | <b>N</b> 6759 76* | Skirting light with white LED                                 | 2                 | 442  |

\*Preferred voltage for IS 385 is 230 V~ and for IS 1293 is 240 V~  
\* to be shortly introduced  
\*MRP - Maximum Retail Price Inclusive of all taxes.  
**N** = New

## Myline™ mechanisms

### dimmers and fan regulators



Conforming to IS 11037

| Pack     | Cat.Nos           | Dimmers and fan regulators                              | Number of modules | MRP* |
|----------|-------------------|---------------------------------------------------------|-------------------|------|
|          |                   | <b>Dimmer with off and gradual dimming</b>              |                   |      |
| 1/10/100 | 6755 35           | Rotative dimmer 60 - 250 W for light                    | 2                 | 534  |
| 1/5/50   | 6755 33           | Myline dimmer 400 W for light                           | 1                 | 678  |
| 10/100   | <b>N</b> 6759 64* | Fan regulator 100 W with 360° rotation                  | 2                 | 598  |
| 1/10/100 | 6755 30           | Fan regulator 100 W, Humfree, 0-4 steps                 | 2                 | 646  |
| 1/5/50   | 6755 31           | Fan regulator 100 W, Humfree, 0-4 steps                 | 1                 | 486  |
|          |                   | <b>Buzzer</b>                                           |                   |      |
| 20/200   | 6755 40           | Myline buzzer                                           | 1                 | 588  |
|          |                   | <b>Remote unit</b>                                      |                   |      |
| 1/5/20   | <b>N</b> 6759 75* | Remote control unit with remote for 4 switch & fan load | 4                 | 2960 |
|          |                   | <b>DND &amp; MMR</b>                                    |                   |      |
|          |                   | <b>Indicator lamp</b>                                   |                   |      |
| 10/50    | 6755 56           | DND & MMR external unit with bell push                  | 3                 | 310  |
| 10/100   | <b>N</b> 6759 69* | DND & MMR external unit with bellpush                   | 2                 | 310  |
| 10/100   | 6755 57           | Myline internal control unit for DND & MMR              | 2                 | 258  |
|          |                   | <b>Hotel key fob switch</b>                             |                   |      |
| 1/10     | 6755 60           | Hotel key fob switch - monobloc                         | M                 | 2842 |
| 1        | 6730 38           | Only key fob for 6755 60                                | -                 | 162  |

\* to be shortly introduced  
\*MRP - Maximum Retail Price Inclusive of all taxes.  
**N** = New

## Mylinc™ mechanisms

### energy sockets - power unit



6755 50  
6755 55  
6759 65  
6755 58  
6759 74

Conforming to IS 1293 : 1988  
Shuttered for Child Safety  
Shutter opens only with phase and neutral  
insertion simultaneously.

| Pack                                       | Cat.Nos              | Energy sockets                                | Number of modules | MRP* |
|--------------------------------------------|----------------------|-----------------------------------------------|-------------------|------|
| 10/100                                     | <b>6755 50</b>       | 6 A - 2/3 pin combined                        | 2                 | 180  |
| 10/100                                     | <b>6755 55</b>       | 6/16 A - 3 pin combined                       | 2                 | 288  |
| 10/100                                     | 6755 51              | 6 A - 3 pin                                   | 2                 | 190  |
| 10/100                                     | 6755 52              | Universal socket<br>6 A - 2/3 pin combined    | 2                 | 222  |
| 20/200                                     | 6755 53              | Euro-US-socket<br>6/16 A - 2 pin              | 1                 | 278  |
| 10/100                                     | <b>6755 54</b>       | 6/10/13 A -<br>multistandard socket           | 2                 | 290  |
| <b>Power unit</b>                          |                      |                                               |                   |      |
| 5/25                                       | 6755 58              | Power unit for 2 ton A.C<br>and 3.5 KW geyser | 4                 | 1076 |
| <b>Motor starter</b>                       |                      |                                               |                   |      |
| 1/10/100                                   | <b>N</b><br>6759 65* | Motor starter 16 A                            | 2                 | 500  |
| <b>Modular MCB<br/>(IS : 60898-1:2002)</b> |                      |                                               |                   |      |
| 1/10/100                                   | <b>N</b><br>6759 74* | Modular SP MCB 16 A                           | 1                 | 326  |

❖ to be shortly introduced  
\*MRP - Maximum Retail Price Inclusive of all taxes.  
**N** = New

## Mylinc™ mechanisms - low voltage sockets,

### TV socket, RJ 11 telephone socket and accessories



| Pack                                                                                                                                | Cat.Nos              | Sockets                             | Number of modules | MRP* |
|-------------------------------------------------------------------------------------------------------------------------------------|----------------------|-------------------------------------|-------------------|------|
| Compatible with reception of antenna,<br>satellite and cable network signals.<br>Ø 9.5 mm connector TV female for<br>co-axial cable |                      |                                     |                   |      |
| 20/200                                                                                                                              | <b>6755 46</b>       | TV socket                           | 1                 | 160  |
| 20/200                                                                                                                              | <b>6755 41</b>       | RJ 11 telephone socket              | 1                 | 152  |
| 20/200                                                                                                                              | 6755 44              | Double RJ 11<br>telephone socket    | 1                 | 254  |
| 20/200                                                                                                                              | 6755 45              | RJ 45 Cat 6<br>computer socket      | 1                 | 554  |
| 20/200                                                                                                                              | 6755 47              | RJ 45 Cat 5e<br>computer socket     | 1                 | 398  |
| 20/200                                                                                                                              | <b>N</b><br>6759 66* | RJ 45 socket Cat 5e<br>with shutter | 1                 | 398  |
| 20/200                                                                                                                              | 6759 67*             | RJ 45 socket Cat 6<br>with shutter  | 1                 | 554  |
| <b>USB chargers<br/>(IS13252 (Part 1) / IEC 60950-1)</b>                                                                            |                      |                                     |                   |      |
| 10/100                                                                                                                              | <b>N</b><br>6759 71* | USB charger                         | 1                 | 710  |
| 10/100                                                                                                                              | 6759 72*             | Double USB charger                  | 2                 | 1125 |
| <b>Accessories</b>                                                                                                                  |                      |                                     |                   |      |
| 20/200                                                                                                                              | <b>6755 91</b>       | Cable outlet                        | 1                 | 144  |
| 20/200                                                                                                                              | <b>6755 90</b>       | Blanking plate                      | 1                 | 36   |
| 20/200                                                                                                                              | 6755 92              | Spare 12 screws with nuts           | -                 | 54   |

❖ to be shortly introduced  
\*MRP - Maximum Retail Price Inclusive of all taxes.  
**N** = New

## Myline™ mechanisms matt grey

switches and accessories

N

## Myline™ mechanisms matt grey

dimmers and fan regulators

N



Switches are ISI marked as per the latest IS 3854:1997  
Silver plated screw terminals  
Linc-Loc™ Inter locking mechanisms for perfect alignment.  
Laser marking.

| Pack   | Cat.Nos  | Switches                                                  | Number of modules | MRP* |
|--------|----------|-----------------------------------------------------------|-------------------|------|
|        |          | <b>6 A - *250 V~</b>                                      |                   |      |
| 20/200 | 6763 01  | 6 A one-way SP switch                                     | 1                 | 114  |
| 20/200 | 6763 02  | 6 A two-way SP switch                                     | 1                 | 170  |
| 20/200 | 6763 03  | 6 A one-way SP switch with indicator                      | 1                 | 200  |
|        |          | <b>16 A - *250 V~</b>                                     |                   |      |
| 20/200 | 6763 11  | 16 A one-way SP switch                                    | 1                 | 192  |
| 20/200 | 6763 12  | 16 A two-way SP switch                                    | 1                 | 242  |
| 20/200 | 6763 13  | 16 A one-way SP switch with indicator                     | 1                 | 256  |
| 10/100 | 6763 41* | Switch 25 A with indicator                                | 1                 | 302  |
|        |          | <b>32 A - *250 V~</b>                                     |                   |      |
| 20/200 | 6763 26  | 32 A one-way double pole switch with indicator            | 2                 | 578  |
|        |          | <b>Push buttons - *250 V~</b>                             |                   |      |
| 20/200 | 6763 04  | 6 A one-way SP bell push                                  | 1                 | 176  |
| 10/100 | 6763 06  | 6 A one-way SP bell push with indicator                   | 2                 | 360  |
|        |          | <b>Bell call indicator &amp; register</b>                 |                   |      |
| 20/200 | 6763 07  | Bell call Indicator with register - 6 A one-way - *250 V~ | 1                 | 964  |
|        |          | <b>Lighting modules</b>                                   |                   |      |
|        |          | for night Lamp...<br>neon light for 25000 hrs.            |                   |      |
| 20/200 | 6763 14  | Indicator light red                                       | 1                 | 214  |
| 20/200 | 6763 15  | Indicator light orange                                    | 1                 | 214  |
| 1/5/25 | 6763 16  | Skirting light with white LED                             | 3                 | 718  |
| 5/50   | 6763 10* | Skirting light with white LED                             | 2                 | 486  |

\*Preferred voltage for IS 385 is 230 V~ and for IS 1293 is 240 V~  
\* to be shortly introduced  
\*MRP - Maximum Retail Price Inclusive of all taxes.  
N = New



Conforming to IS 11037

| Pack     | Cat.Nos  | Dimmers and fan regulators                              | Number of modules | MRP* |
|----------|----------|---------------------------------------------------------|-------------------|------|
|          |          | <b>Dimmer with off and gradual dimming</b>              |                   |      |
| 1/10/100 | 6763 17  | Rotative dimmer 60 - 250 W for light                    | 2                 | 588  |
| 1/5/50   | 6763 18  | Rotative dimmer 60 - 400 W                              | 1                 | 746  |
| 10/100   | 6763 37* | Fan regulator 100 W with 360° rotation                  | 2                 | 658  |
| 1/10/100 | 6763 19  | Fan regulator - 4 steps                                 | 2                 | 710  |
| 1/5/50   | 6763 20  | Fan regulator - 4 steps                                 | 1                 | 534  |
|          |          | <b>Buzzer</b>                                           |                   |      |
| 20/200   | 6763 21  | Myline buzzer                                           | 1                 | 646  |
|          |          | <b>Remote unit</b>                                      |                   |      |
| 1/5/20   | 6763 47* | Remote control unit with remote for 4 switch & fan load | 4                 | 3256 |
|          |          | <b>DND &amp; MMR</b>                                    |                   |      |
|          |          | <b>Indicator lamp</b>                                   |                   |      |
| 10/50    | 6763 42* | DND & MMR external unit with bell push                  | 1+1               | 342  |
| 10/100   | 6763 23  | Myline internal control unit for DND & MMR              | 2                 | 284  |
| 1/10     | 6763 24  | Hotel key fob switch                                    | M                 | 3126 |
|          |          | <b>Hotel key fob switch</b>                             |                   |      |
| 1/10     | 6730 38  | Only key fob for 6755 60                                | -                 | 162  |

\* to be shortly introduced  
\*MRP - Maximum Retail Price Inclusive of all taxes.  
N = New

## Mylic™ mechanisms


energy sockets - power unit

N

## Mylic™ mechanisms matt grey

low voltage / TV / RJ 11 telephone socket and accessories

N



Conforming to IS 1293 : 1988  
Shuttered for Child Safety  
Shutter opens only with phase and neutral  
insertion simultaneously.

| Pack                                   | Cat.Nos  | Energy sockets                                | Number of modules | MRP* |
|----------------------------------------|----------|-----------------------------------------------|-------------------|------|
| 10/100                                 | 6763 25  | 6 A - 2/3 pin combined                        | 2                 | 198  |
| 10/100                                 | 6763 05  | 6/16 A - 3 pin combined                       | 2                 | 316  |
| 10/100                                 | 6763 27  | 6 A - 3 pin                                   | 2                 | 210  |
| 10/100                                 | 6763 28  | Universal socket<br>6 A - 2/3 pin combined    | 2                 | 244  |
| 20/200                                 | 6763 29  | Euro-US-socket<br>6/16 A                      | 1                 | 306  |
| 10/100                                 | 6763 30  | 6/10/13 A -<br>multistandard socket           | 2                 | 320  |
| <b>Power unit</b>                      |          |                                               |                   |      |
| 5/25                                   | 6763 31  | Power unit for 2 ton A.C<br>and 3.5 KW geyser | 4                 | 1184 |
| <b>Motor starter</b>                   |          |                                               |                   |      |
| 1/10/100                               | 6763 38* | Motor starter 16 A                            | 2                 | 550  |
| <b>Modular MCB (IS : 60898-1:2002)</b> |          |                                               |                   |      |
| 1/10/100                               | 6763 46* | Modular SP MCB 16 A                           | 1                 | 358  |

\* to be shortly introduced  
\*MRP - Maximum Retail Price Inclusive of all taxes.  
N = New



| Pack                                              | Cat.Nos  | Sockets                                                                                                                    | Number of modules | MRP* |
|---------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------|-------------------|------|
|                                                   |          | Compatible with reception of antenna, satellite and cable network signals. Ø 9.5 mm connector TV female for co-axial cable |                   |      |
| 20/200                                            | 6763 32  | TV socket                                                                                                                  | 1                 | 176  |
| 20/200                                            | 6763 33  | RJ 11 telephone socket                                                                                                     | 1                 | 168  |
| 20/200                                            | 6763 34  | Double RJ 11<br>telephone socket                                                                                           | 1                 | 280  |
| 20/200                                            | 6763 39* | RJ 45 socket cat 5e<br>with shutter                                                                                        | 1                 | 438  |
| 20/200                                            | 6763 40* | RJ 45 socket cat 6<br>with shutter                                                                                         | 1                 | 610  |
| <b>USB chargers (IS13252(Part 1)/IEC 60950-1)</b> |          |                                                                                                                            |                   |      |
| 10/100                                            | 6763 43  | USB charger                                                                                                                | 1                 | 782  |
| 10/100                                            | 6763 44  | Double USB charger                                                                                                         | 2                 | 1238 |
| <b>Accessories</b>                                |          |                                                                                                                            |                   |      |
| 20/200                                            | 6763 48  | Cable outlet                                                                                                               | 1                 | 158  |
| 20/200                                            | 6763 49  | Blanking Plate 0.8 mm                                                                                                      | 1                 | 40   |

\* to be shortly introduced  
\*MRP - Maximum Retail Price Inclusive of all taxes.  
N = New

## Myline™ plates

modular white plates with frame



6755 61



6755 62



6755 69

| Pack   | Cat.Nos | White plates                                                                                                                                                                        |                                          |  | Dimensions<br>(mm)<br>H x W | MRP* |
|--------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|--|-----------------------------|------|
|        |         | Superior finish, screwless, rounded corners<br>dust proof, solid strength.<br>Supported by plastic frame behind with flexible wall<br>alignment.<br>Horizontal adjustment facility. |                                          |  |                             |      |
|        |         | <b>White plates</b>                                                                                                                                                                 |                                          |  |                             |      |
| 20/200 | 6755 61 |                                                                                                                                                                                     | For 1 module<br>(square)                 |  | 86 x 86                     | 96   |
| 20/200 | 6755 62 |                                                                                                                                                                                     | For 2 modules<br>(square)                |  | 86 x 86                     | 96   |
| 10/100 | 6755 63 |                                                                                                                                                                                     | For 3 modules                            |  | 86 x 121                    | 130  |
| 10/100 | 6755 64 |                                                                                                                                                                                     | For 4 modules                            |  | 86 x 146                    | 140  |
| 5/50   | 6755 66 |                                                                                                                                                                                     | For 6 modules<br>(2 column x 3)          |  | 86 x 224                    | 178  |
| 5/50   | 6755 67 |                                                                                                                                                                                     | For 8 modules<br>(2 column x 4)          |  | 86 x 245                    | 232  |
| 5/25   | 6755 68 |                                                                                                                                                                                     | For 8 modules<br>(2 row x 4)             |  | 172 x 146                   | 234  |
| 5/50   | 6755 69 |                                                                                                                                                                                     | For 9 modules<br>(3 column x 3)          |  | 86 x 288                    | 272  |
| 10     | 6755 72 |                                                                                                                                                                                     | For 12 modules<br>(2 row x 2 column x 3) |  | 172 x 224                   | 332  |
| 10     | 6755 73 |                                                                                                                                                                                     | For 16 modules<br>(for specific box)     |  | 172 x 245                   | 388  |
| 10     | 6755 78 |                                                                                                                                                                                     | For 18 modules<br>(3 row x 2 column x 3) |  | 240 x 224                   | 522  |

\*MRP - Maximum Retail Price Inclusive of all taxes.

## Myline™ plates

modular matt grey plates with frame

N



6763 50



6763 52



6763 55

| Pack   | Cat.Nos  | Modular matt grey plates                                                                                                                                                         |                                          |  | Dimensions<br>(mm)<br>H x W | MRP* |
|--------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|--|-----------------------------|------|
|        |          | Superior finish, screwless, rounded corners dust<br>proof, solid strength. Supported by plastic frame<br>behind with flexible wall alignment. Horizontal<br>adjustment facility. |                                          |  |                             |      |
|        |          | <b>Matt grey plates</b>                                                                                                                                                          |                                          |  |                             |      |
| 20/200 | 6763 50* |                                                                                                                                                                                  | For 1 module<br>(square)                 |  | 86 x 86                     | 124  |
| 20/200 | 6763 51  |                                                                                                                                                                                  | For 2 modules<br>(square)                |  | 86 x 86                     | 124  |
| 10/100 | 6763 52  |                                                                                                                                                                                  | For 3 modules                            |  | 86 x 121                    | 170  |
| 10/100 | 6763 53  |                                                                                                                                                                                  | For 4 modules                            |  | 86 x 146                    | 182  |
| 5/50   | 6763 54* |                                                                                                                                                                                  | For 6 modules<br>(2 column x 3)          |  | 86 x 224                    | 232  |
| 5/50   | 6763 55* |                                                                                                                                                                                  | For 8 modules<br>(2 column x 4)          |  | 86 x 245                    | 302  |
| 5/25   | 6763 56* |                                                                                                                                                                                  | For 8 modules<br>(2 row x 4)             |  | 172 x 146                   | 304  |
| 5/50   | 6763 57  |                                                                                                                                                                                  | For 9 modules<br>(3 column x 3)          |  | 86 x 288                    | 354  |
| 10     | 6763 58* |                                                                                                                                                                                  | For 12 modules<br>(2 row x 2 column x 3) |  | 172 x 224                   | 432  |
| 10     | 6763 59  |                                                                                                                                                                                  | For 18 modules<br>(3 row x 2 column x 3) |  | 240 x 224                   | 678  |

\* to be shortly introduced

\*MRP - Maximum Retail Price Inclusive of all taxes.

N = New

## Myline™ plates

modular colour plates with frame



6763 60

6763 62




6763 65



6763 70

6763 72



6763 75

| Pack   | Cat.Nos  | Modular colour plates                                                                                                                                                   |                                       |                       |      |  |
|--------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------|------|--|
|        |          | Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility. |                                       |                       |      |  |
|        |          | <b>Pearl white finish</b>                                                                                                                                               |                                       | Dimensions (mm) H x W | MRP* |  |
| 10/100 | 6763 60  |                                                                                                                                                                         | For 1 module (square)                 | 86 x 86               | 116  |  |
| 10/100 | 6763 61  |                                                                                                                                                                         | For 2 modules (square)                | 86 x 86               | 116  |  |
| 10/100 | 6763 62  |                                                                                                                                                                         | For 3 modules                         | 86 x 121              | 156  |  |
| 10/100 | 6763 63  |                                                                                                                                                                         | For 4 modules                         | 86 x 146              | 168  |  |
| 5/50   | 6763 64* |                                                                                                                                                                         | For 6 modules (2 column x 3)          | 86 x 224              | 214  |  |
| 5/50   | 6763 65* |                                                                                                                                                                         | For 8 modules (2 column x 4)          | 86 x 245              | 278  |  |
| 5/25   | 6763 66* |                                                                                                                                                                         | For 8 modules (2 row x 4)             | 172 x 146             | 280  |  |
| 5/50   | 6763 67* |                                                                                                                                                                         | For 9 modules (3 column x 3)          | 86 x 288              | 326  |  |
| 5/25   | 6763 68* |                                                                                                                                                                         | For 12 modules (2 row x 2 column x 3) | 172 x 224             | 398  |  |
| 5/25   | 6763 69* |                                                                                                                                                                         | For 18 modules (3 row x 2 column x 3) | 240 x 224             | 626  |  |

\* to be shortly introduced

\*MRP - Maximum Retail Price Inclusive of all taxes.

= New

| Pack   | Cat.Nos  | Modular colour plates                                                                                                                                                   |                                       |                       |      |  |
|--------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------|------|--|
|        |          | Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility. |                                       |                       |      |  |
|        |          | <b>Champagne finish</b>                                                                                                                                                 |                                       | Dimensions (mm) H x W | MRP* |  |
| 10/100 | 6763 70* |                                                                                                                                                                         | For 1 module (square)                 | 86 x 86               | 116  |  |
| 10/100 | 6763 71* |                                                                                                                                                                         | For 2 modules (square)                | 86 x 86               | 116  |  |
| 10/100 | 6763 72* |                                                                                                                                                                         | For 3 modules                         | 86 x 121              | 156  |  |
| 10/100 | 6763 73* |                                                                                                                                                                         | For 4 modules                         | 86 x 146              | 168  |  |
| 5/50   | 6763 74* |                                                                                                                                                                         | For 6 modules (2 column x 3)          | 86 x 224              | 214  |  |
| 5/50   | 6763 75* |                                                                                                                                                                         | For 8 modules (2 column x 4)          | 86 x 245              | 278  |  |
| 5/25   | 6763 76* |                                                                                                                                                                         | For 8 modules (2 row x 4)             | 172 x 146             | 280  |  |
| 5/50   | 6763 77* |                                                                                                                                                                         | For 9 modules (3 column x 3)          | 86 x 288              | 326  |  |
| 5/25   | 6763 78* |                                                                                                                                                                         | For 12 modules (2 row x 2 column x 3) | 172 x 224             | 398  |  |
| 5/25   | 6763 79* |                                                                                                                                                                         | For 18 modules (3 row x 2 column x 3) | 240 x 224             | 626  |  |

\* to be shortly introduced

\*MRP - Maximum Retail Price Inclusive of all taxes.

= New

# Myline™ plates

modular colour plates with frame



6763 80

6763 82




6763 85



6763 90

6763 92



6763 95

| Pack   | Cat.Nos  | Modular colour plates                                                                                                                                                   |                                       |  |                       |      |
|--------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--|-----------------------|------|
|        |          | Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility. |                                       |  |                       |      |
|        |          | <b>Silver alu finish</b>                                                                                                                                                |                                       |  | Dimensions (mm) H x W | MRP* |
| 10/100 | 6763 80  |                                                                                                                                                                         | For 1 module (square)                 |  | 86 x 86               | 116  |
| 10/100 | 6763 81  |                                                                                                                                                                         | For 2 modules (square)                |  | 86 x 86               | 116  |
| 10/100 | 6763 82  |                                                                                                                                                                         | For 3 modules                         |  | 86 x 121              | 156  |
| 10/100 | 6763 83  |                                                                                                                                                                         | For 4 modules                         |  | 86 x 146              | 168  |
| 5/50   | 6763 84* |                                                                                                                                                                         | For 6 modules (2 column x 3)          |  | 86 x 224              | 214  |
| 5/50   | 6763 85* |                                                                                                                                                                         | For 8 modules (2 column x 4)          |  | 86 x 245              | 278  |
| 5/25   | 6763 86* |                                                                                                                                                                         | For 8 modules (2 row x 4)             |  | 172 x 146             | 280  |
| 5/50   | 6763 87* |                                                                                                                                                                         | For 9 modules (3 column x 3)          |  | 86 x 288              | 326  |
| 5/25   | 6763 88* |                                                                                                                                                                         | For 12 modules (2 row x 2 column x 3) |  | 172 x 224             | 398  |
| 5/25   | 6763 89* |                                                                                                                                                                         | For 18 modules (3 row x 2 column x 3) |  | 240 x 224             | 626  |

\* to be shortly introduced

\*MRP - Maximum Retail Price Inclusive of all taxes.

**N** = New

| Pack   | Cat.Nos  | Modular colour plates                                                                                                                                                   |                                       |  |                       |      |
|--------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--|-----------------------|------|
|        |          | Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility. |                                       |  |                       |      |
|        |          | <b>Dark bronze finish</b>                                                                                                                                               |                                       |  | Dimensions (mm) H x W | MRP* |
| 10/100 | 6763 90  |                                                                                                                                                                         | For 1 module (square)                 |  | 86 x 86               | 116  |
| 10/100 | 6763 91  |                                                                                                                                                                         | For 2 modules (square)                |  | 86 x 86               | 116  |
| 10/100 | 6763 92  |                                                                                                                                                                         | For 3 modules                         |  | 86 x 121              | 156  |
| 10/100 | 6763 93  |                                                                                                                                                                         | For 4 modules                         |  | 86 x 146              | 168  |
| 5/50   | 6763 94* |                                                                                                                                                                         | For 6 modules (2 column x 3)          |  | 86 x 224              | 214  |
| 5/50   | 6763 95* |                                                                                                                                                                         | For 8 modules (2 column x 4)          |  | 86 x 245              | 278  |
| 5/25   | 6763 96* |                                                                                                                                                                         | For 8 modules (2 row x 4)             |  | 172 x 146             | 280  |
| 5/50   | 6763 97* |                                                                                                                                                                         | For 9 modules (3 column x 3)          |  | 86 x 288              | 326  |
| 5/25   | 6763 98* |                                                                                                                                                                         | For 12 modules (2 row x 2 column x 3) |  | 172 x 224             | 398  |
| 5/25   | 6763 99* |                                                                                                                                                                         | For 18 modules (3 row x 2 column x 3) |  | 240 x 224             | 626  |

\* to be shortly introduced

\*MRP - Maximum Retail Price Inclusive of all taxes.

**N** = New

## Mylinec™ surrounds

### white modular surrounds



6755 81



6755 82

6755 89

| Pack   | Cat.Nos | White surrounds                                                                                                       |                                 |                             |      |
|--------|---------|-----------------------------------------------------------------------------------------------------------------------|---------------------------------|-----------------------------|------|
|        |         | Superior finish, screwless appearance<br>rounded corners, dust proof, for acrylic or hylem<br>sheet or partition wall |                                 |                             |      |
|        |         | White surrounds                                                                                                       |                                 | Dimensions<br>(mm)<br>H x W | MRP* |
| 20/200 | 6755 81 |                                     | For 1 module                    | 61 x 34.4                   | 42   |
| 20/200 | 6755 82 |                                    | For 2 modules                   | 61 x 58                     | 74   |
| 10/100 | 6755 83 |                                    | For 3 modules                   | 61 x 81.6                   | 74   |
| 10/100 | 6755 84 |                                    | For 4 modules                   | 61 x 105.2                  | 108  |
| 10/100 | 6755 86 |                                    | For 6 modules<br>(2 column x 3) | 61 x 162.5                  | 154  |
| 10/100 | 6755 89 |                                    | For 9 modules<br>(3 column x 3) | 61 x 243.5                  | 270  |

\*MRP - Maximum Retail Price Inclusive of all taxes.

## Mylinec™ boxes

### flush boxes



6890 07



6890 09



6890 10



6890 11



6890 12

| Pack | Cat.Nos | Flush boxes for Mylinec™ plate                                                                                                                                              |                        |                              |      |
|------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------------------|------|
|      |         | Factory made metal sheet enclosure top, bottom, side and back wall knockout for conduit entry from any direction. Possible to break open knockout without any special tool. |                        |                              |      |
|      |         |                                                                                                                                                                             |                        | Dimensions (mm)<br>H x W x D | MRP* |
| 40   | 6890 07 |                                                                                                                                                                             | 1 or 2 module          | 76.5 x 76.5 x 51.0           | 90   |
| 40   | 6890 08 |                                                                                                                                                                             | 3 modules              | 76.5 x 99.7 x 51.0           | 90   |
| 40   | 6890 09 |                                                                                                                                                                             | 4 modules              | 76.5 x 136.8 x 51.0          | 118  |
| 40   | 6890 10 |                                                                                                                                                                             | 6 modules              | 76.5 x 214.2 x 51.0          | 186  |
| 40   | 6890 42 |                                                                                                                                                                             | 8 modules              | 77.3 x 232.8 x 51.0          | 216  |
| 20   | 6890 31 |                                                                                                                                                                             | 8 modules (2 rows x 4) | 136.8 x 136.6 x 61           | 214  |
| 20   | 6890 29 |                                                                                                                                                                             | 9 modules              | 77.3 x 279.3 x 51.2          | 254  |
| 10   | 6890 11 |                                                                                                                                                                             | 12 modules             | 145.3 x 215 x 61.2           | 324  |
| 10   | 6890 13 |                                                                                                                                                                             | 16 modules             | 232.8 x 147.4 x 61.2         | 374  |
| 10   | 6890 12 |                                                                                                                                                                             | 18 modules             | 213.3 x 215 x 61.2           | 412  |

\*MRP - Maximum Retail Price Inclusive of all taxes.

## Mylinc™ boxes

### surface boxes



6733 03



6733 04



6890 21



6890 22

| Pack  | Cat.Nos | Plastic surface boxes for Mylinc™ plate                                                                                                                                               |                              |                 |      |
|-------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-----------------|------|
|       |         | Factory made enclosure<br>offwhite shade<br>top, bottom and back wall knockout for conduit<br>entry / casing capping.<br>Possible to break open knockout without any special<br>tool. |                              |                 |      |
| 10/50 | 6733 02 |  1/2 modules                                                                                         | Dimensions (mm)<br>H x W x D | 86 x 86 x 45    | MRP* |
| 5/35  | 6733 03 |  3 modules                                                                                           |                              | 86 x 121 x 45   | 104  |
| 5/25  | 6733 04 |  4 modules                                                                                          |                              | 86 x 146 x 45   | 120  |
| 1/10  | 6733 06 |  6 modules                                                                                         |                              | 86 x 224 x 45   | 152  |
| 1/5   | 6733 08 |  8 modules                                                                                         |                              | 86 x 245.2 x 45 | 226  |
| 1/5   | 6733 05 | 8 modules<br>(2 rows x 4)                                                                                                                                                             |                              | 172 x 146 x 45  | 218  |
| 1/5   | 6740 99 | 9 modules                                                                                                                                                                             |                              | 86 x 288 x 45   | 258  |

\*MRP - Maximum Retail Price Inclusive of all taxes.

| Pack | Cat.Nos | Plastic surface boxes for Mylinc™ plate                                                                                                                                               |                              |                |      |
|------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|----------------|------|
|      |         | Factory made enclosure<br>offwhite shade<br>top, bottom and back wall knockout for conduit<br>entry / casing capping.<br>Possible to break open knockout without any special<br>tool. |                              |                |      |
| 1/6  | 6890 21 |  Metal surface box<br>12 module<br>(2 row x 6)                                                     | Dimensions (mm)<br>H x W x D | 172 x 224 x 50 | MRP* |
| 1/4  | 6890 22 |  Metal surface box<br>18 module<br>(3 row x 6)                                                    |                              | 240 x 224 x 50 | 570  |

\*MRP - Maximum Retail Price Inclusive of all taxes.

## Myline™


### switches and accessories

#### Technical data


##### Bell call indicator

Cat.Nos 6755 07 / 6763 07

##### Description



##### Wiring





#### Technical data

##### DND external unit

Cat.Nos 6755 56 / 6763 42 / 6763 42 / 6763 23

##### Description




**Technical data**

**Remote control unit 4 M**

Cat.Nos 6759 75 / 6763 47

**Wiring diagram**



## Myline™


### power unit

#### Technical data

##### Modular MCB 1 M

Cat.Nos 6759 74 / 6763 46


#### Wiring diagram



##### Motor Starter 2 M

Cat.Nos 6759 65 / 6763 38

#### Wiring diagram



## Myline™

### socket and accessories


#### Technical data

##### USB chargers 1 M

(IS13252(Part 1)/IEC 60950-1)

Cat.Nos 6759 71 / 6763 43

#### Wiring diagram




##### USB chargers 2 M

(IS13252(Part 1)/IEC 60950-1)

Cat.No 6759 72 / 6763 44

#### Wiring diagram



HEAD OFFICE

61 & 62, 6<sup>th</sup> Floor, Kalpataru Square, Kondivita Road, Off Andheri-Kurla Road, Andheri (E), **MUMBAI** - 400 059.  
Tel : (022) 3041 6200 | Fax : (022) 3041 6201

REGIONAL SALES OFFICES

A-25, Mohan Co-operative  
Industrial Estate, Mathura Road,  
**NEW DELHI** - 110 044.  
Tel : (011) 3990 2200, 2699 0046,  
(011) 2699 0028 / 29 / 30 / 31  
Fax : (011) 2699 0047

Bhakta Towers, 2nd & 3rd Floor,  
Plot No. KB 22, Sector-III, Salt Lake,  
**KOLKATA** - 700 098.  
Tel : (033) 4021 3535 / 36  
Fax : (033) 4021 3537

C/203, Corporate Avenue, Atul Projects,  
Near Mirador Hotel, Chakala,  
Andheri Ghatkopar Link Road,  
Andheri - East, **MUMBAI** - 400 099.  
Tel : (022) 3385 6200

10 B, (10th Floor), Prestige Center Court,  
Office Block, Vijaya Forum Mall, #183,  
N.S.K. Salai, Vadapalani,  
**CHENNAI** - 600 026.  
Tel : (044) 3024 7200 / 2362 3125 / 35 / 45  
Fax : (044) 2362 3165

205-208, 2nd Floor,  
Block - II, White House,  
Kundan Bagh, Begumpet,  
**HYDERABAD** - 500 016.  
Tel : (040) 2341 4398 / 67, 4567 1717  
Fax : (040) 4567 1730

BRANCH OFFICES

SCO 1-2-3,  
Second Floor, Sector 17B,  
**CHANDIGARH** - 160 017.  
Tel : (0172) 305 8631 / 32 / 33 / 34 / 35  
Fax : (0172) 501 9008

507-510, Vth Floor,  
Soni Paris Point,  
Jai Singh Highway, Banipark,  
**JAIPUR** - 302 016.  
Telefax : (0141) 511 3129, 510 1179

209-A, 2nd Floor, Cyber Heights,  
Opp. Indira Gandhi Pratishthan,  
Vibhuti Khand, Gomti Nagar,  
**LUCKNOW** - 226 010.  
Tel : (0522) 319 2031 / 32 / 33

504, Sakar IV,  
Opp. M.J. Library, Ellis Bridge,  
**AHMEDABAD** - 380 006.  
Tel : (079) 2658 6561

402, Swastik Chambers,  
Near Ashwamegh Marriage Hall,  
Behind HP Petrol Pump,  
Off Karve Road, Erandwane,  
**PUNE** - 411 004.  
Tel : (020) 6729 5601 / 602  
Fax : (020) 6729 5604

Plot No.95, II Floor,  
Shreyash Heights,  
VIP Road, Ramdaspath,  
**NAGPUR** - 440 010.  
Tel : (0712) 662 7857 / 858  
Fax : (0712) 662 7859

2nd Floor,  
Al Latheef Building,  
2/1, Union Street,  
Off. Infantry Road,  
**BANGALORE** - 560 001.  
Tel : (080) 2286 1078, 4113 3293  
Fax : (080) 4113 3294

J. B. Manjooran Estate,  
Door No. 50/1107A9, 3rd Floor,  
Bypass Junction, Edappally,  
**COCHIN** - 682 024.  
Tel : (0484) 280 1921 / 2921, 658 0921  
Fax : (0484) 280 1921 / 2921

B-5, 1st Floor, Thirumalai Towers,  
723, Avanashi Road, **COIMBATORE** - 641 018.  
Tel : (0422) 650 2728, 222 3634 / 0283  
Fax : (0422) 222 3164

204-205, Megapolis Square,  
579, M G Road, **INDORE** - 452 001.  
Tel : (0731) 393 1650 / 51 / 52  
Fax : (0731) 393 1653

MF-2, Datta's Lords House,  
Jammi Chettu Street, Mogalrajapuram,  
**VIJAYAWADA** - 520 010.  
Tel : (0866) 661 1393, 664 6393  
Fax : (0866) 669 9393

AREA OFFICES

ABC Business Club 16,  
Tagore Villa, **DEHRADUN** - 248 001.  
Tel : (0135) 271 5189  
Fax : (0135) 271 5580

Cabin No. 9, Second Floor,  
Madhok Trade Centre,  
Madhok Complex, Ferozpur Road,  
**LUDHIANA** - 141 001.  
Tel : (0161) 277 0301 / 2 / 3 / 4

House No. 97, Ground Floor,  
Rajgarh Main Road,  
Opp. City Heart Nursing Home,  
**GUWAHATI** - 781 007.  
Tel : (0361) 245 8498

94, Uddham Singh Sarani,  
Ground Floor, Ashrampara,  
**SILIGURI** - 734 001.  
Tel : (0353) 264 1067

202 & 203, 2nd Floor,  
Sunrise, Forum 100,  
Burdwan Compound, Lalpur,  
**RANCHI** - 834 001.  
Tel : +91 9088104858

405, City Centre, Sosyo Circle,  
Udhana Magdalla Road,  
**SURAT** - 395 002.  
Tel : (0261) 263 3861

Aparna Towers, 1st Floor,  
2/3, Bypass Road,  
**MADURAI** - 625 010.  
Telefax : (0452) 230 8414

404, Eshwar Plaza,  
Dwaraka Nagar, Main Road,  
Beside Bata Show Room,  
**VISHAKHAPATNAM** - 530 016.  
Tel : (0891) 663 5652  
Fax : (0891) 663 9363

Plot No. 359,  
Saheed Nagar, 2nd Floor,  
**BHUBANESWAR** - 751 007.  
Tel : (0674) 254 0623

Technical assistance from Legrand

Telephonic technical assistance for selection of products, technical information, guidance, wiring diagrams and estimation is now made available to you at each Regional Office. Contact the Technical Officer of Legrand at the following telephone numbers :

- New Delhi : (011) 2699 0028, 3990 2200**  
**• Chennai : (044) 3024 7200**
- Kolkata : (033) 4021 3535/36**  
**• Hyderabad : (040) 2341 4398 / 67, 4567 1717**
- Mumbai : (022) 3385 6200**

For other places, contact the nearest Regional / Branch / Area offices customer.care@legrand.co.in

